



Thru The Floor Elevators



STAIRLIFTS / WHEELCHAIR LIFTS / ELEVATORS / RAMPS / PATIENT LIFTS / BATHROOMS



Accessibility Solutions Since 1991

Fully Up



Eliminates the need for an elevator shaft creating useable space above and below

Lower Level

Thru The Floor Elevators

Halfway Up/ Halfway Down



- Safe working load of the elevator is 550 lbs.
- Internal height for all models of the elevator is 6.5 ft.

Fully Down



Floor to floor travel up to 11.4 ft.

Serving the Chicagoland area for over 25 years!

Upper Level

Fully Up



Halfway Up/ Halfway Down



Elevator travels
between two levels

Fully Down *TOP VIEW*



Safety pan feature allows
the elevator to stop if
something is above
or below it.

Platform matches floor
design when the elevator
is fully down

Visit the EHLS Showroom

Test-Ride an Elevator in our
operational showroom located at:

**210 W Campus Drive
Arlington Heights, IL**

DIMENSIONS	Small	Medium	Large	Extra Large
Internal Width	30 1/2"	28 9/16"	30 1/2"	34 13/16"
Internal Depth	23"	45 1/2"	47 7/16"	54 1/8"
External Width	34 1/4"	34 1/4"	36 1/6"	40 9/16"
External Length	35 5/8"	58 1/16"	60 1/16"	66 3/4"
Weight Capacity	550 lbs.	550 lbs.	550 lbs.	550 lbs.

Internal Width



Internal Depth



External Width



External Length



Partner:



Serving the greater Chicagoland area, Northwest Indiana, and Southeast Wisconsin.

Call for a FREE on-site assessment or planning/design consultation.

Extended Home Living Services, Inc.

Visit our Accessibility Showroom

210 W Campus Drive • Suite B • Arlington Heights IL • 60004

Direct (847) 215-9490 | (630) 717-4445 | (773) 775-6122

Fax (847) 590-1728

www.ehls.com



Division of EHLS